



# SolarVeil 2300

## SOLAR FABRIC (3%)


### AVAILABLE COLOURS

- White  
SV2301
- Eggshell  
SV2316
- Beige  
SV2302
- Silver Birch  
SV2319
- Greystone  
SV2307
- Grey  
SV2313
- Brown  
SV2305
- Brown/Black  
SV2304
- Ash  
SV2320
- Black  
SV2308



### FABRIC SPECIFICATIONS

- Stock Widths: 78" / 98" / 118"
- Openness: 3 %
- Composition: 25% Polyester  
75% Vinyl on Polyester
- Thickness: .022"
- Weight: 13.19 / yd<sup>2</sup>
- Fire Rating: NFPA 701 / CA US Title 19  
CAN/ULC-S109
- Cleaning Info: Contact Manufacturer
- Spline: SnapLoc
- Railroading: Not Recommended



Technologically advanced shade cloth woven in a 2 X 2 basket-weave pattern offered in a wide range of colours.

The thin yarn weave provides a uniform scrim effect at the window wall with appropriate densities for sun control.

If you require additional fabric samples please E-mail: [samples@frasershading.com](mailto:samples@frasershading.com)

Actual fabric colours may vary from pictures | Fabric stock levels may vary

Openness factors are approximate | Mockups are recommended

Specification subject to change without notice | © Fraser Shading Systems 2022





## SolarVeil™ 2300 Series Fenestration Properties

Description	Colour	Ts	Rs	As	Tv	S/C (Internal)		
						1/8" C/L	1/4" C/L	1/4" H.A.
SV 2301	White	17	65	18	10	0.32	0.31	0.31
SV 2316	Eggshell	16	55	29	9	0.40	0.39	0.34
SV 2302	Beige	12	52	36	8	0.42	0.41	0.35
SV 2319	Silver Birch	10	43	47	6	0.46	0.45	0.37
SV 2307	Greystone	8	39	53	5	0.49	0.47	0.38
SV 2313	Grey	7	31	62	4	0.54	0.52	0.43
SV 2305	Brown	2	8	90	2	0.68	0.65	0.47
SV 2304	Brown/Black	2	5	93	3	0.70	0.65	0.50
SV 2320	Ash	2	5	93	3	0.70	0.65	0.50
SV 2308	Black	2	4	94	3	0.71	0.67	0.49

**KEY:** Ts = Solar Transmittance, Rs = Solar Reflectance, As = Solar Absorption, Tv = Visible Transmittance  
 The solar optical properties are used to calculate the shading coefficient. The shading coefficient represents the percentage of solar heat gain that is transmitted to the interior through the glass and the shading system. Darker colours provide maximum glare reduction and visibility. For complete technical information, current test results, performance specifications and larger samples, contact FSS

### Specifications:

Composition: 25% Polyester, 75% PVC  
 Openness factor: Average 3%  
 Weight: 13.12 oz/sq yrd +/- 5%  
 Thickness: .022 inches +/- 5%  
 Fabric Count: 54 ends x 46 picks / sq inch  
 Tensile Strength: Warp 197 / Weft 167 daN/5cm  
 Tearing Strength: Warp 7.4 / Weft 7.0 daN  
 Colourfastness to light: Grade 8